

Automotive Performance Specifications

SUPER IR														
	Solar Energy			Visible Light				UVR	SC	IRR	TSER	GR	E	U-Value
	T	A	R	T	A	R								
						Int	Ext							
SUPER IR 7080	45	50	05	75	16	09	09	99	.68	82	41	22	.85	1.12
SUPER IR 5099	35	58	07	51	43	06	06	99	.67	99	54	46	.83	1.12
SUPER IR 3599	25	66	09	33	61	06	06	99	.56	99	59	62	.81	1.11
SUPER IR 1599	13	79	08	14	80	06	06	99	.54	99	64	83	.79	1.10
SUPER IR 0599	10	78	12	04	90	06	06	99	.46	99	67	94	.73	1.09
NANOCERAMIC IR														
	Solar Energy			Visible Light				UVR	SC	IRR	TSER	GR	E	U-Value
	T	A	R	T	A	R								
						Int	Ext							
SL999	33	61	06	74	18	08	08	99	.58	99	50	23	.82	1.11
SLB999	35	59	06	72	19	09	09	99	.60	99	49	25	.82	1.11
HCSI 8555	53	40	07	85	06	09	09	99	.75	62	36	14	.92	1.12
CRYSTAL BLUE 85	68	22	10	85	06	09	09	99	.86	30	26	14	.82	1.12
CRYSTAL BLUE 75	62	30	08	78	12	10	10	99	.81	35	30	22	.80	1.12
BLACK IR COATED														
	Solar Energy			Visible Light				UVR	SC	IRR	TSER	GR	E	U-Value
	T	A	R	T	A	R								
						Int	Ext							
BLACK IR COATED 50	53	40	07	54	49	07	07	99	.81	71	36	49	.89	1.12
BLACK IR COATED 35	35	57	08	33	60	07	07	99	.76	80	47	62	.89	1.12
BLACK IR COATED 20	32	60	08	19	74	07	07	99	.71	80	50	81	.89	1.12
BLACK IR COATED 05	25	66	09	05	66	07	07	99	.68	80	54	93	.89	1.12

Automotive Performance Specifications

SPUTTERED IR														
	Solar Energy			Visible Light				UVR	SC	IRR	TSER	GR	E	U-Value
	T	A	R	T	A	R								
						Int	Ext							
NFN Yellow 7040	41	40	19	72	16	12	12	99	.68	40	51	23	.82	1.05
NFN Green 6065	32	43	25	65	20	15	15	99	.66	65	56	32	.81	1.04
NFN Green 5090	29	46	25	56	29	15	15	99	.51	90	59	41	.80	1.04
SS 7099	39	42	19	72	16	12	12	99	.68	99	52	23	.82	1.05
SS 7090	41	40	19	72	17	12	11	99	.68	90	51	23	.82	1.05
SS 6590	38	37	25	69	16	15	15	99	.68	90	51	23	.82	1.05
SS 6099	32	43	25	65	20	15	15	99	.66	99	56	32	.81	1.04
SS 5099	29	46	25	56	29	15	15	99	.51	99	59	41	.80	1.04
SS 3599	26	48	26	33	54	13	13	99	.46	99	63	64	.79	1.04
SS 2099	14	49	37	19	68	13	13	99	.32	99	67	76	.79	1.04
Dynasty 6599	30	41	29	66	20	08	14	99	.49	99	58	32	.82	1.02
Dynasty 4090	20	38	42	39	62	11	23	99	.36	90	69	55	.82	1.03
Dynasty BLBK 3599	13	55	32	22	60	06	15	99	.34	99	71	63	.81	1.03
Dynasty CH 3599	13	55	32	23	61	06	16	99	.34	99	71	63	.80	1.04
Dynasty BK 2099	10	56	34	15	67	06	18	99	.31	99	74	76	.79	1.04
Dynasty GP 2099	09	61	30	14	71	06	15	99	.32	99	73	76	.79	1.04

Automotive Performance Specifications

HIGH PERFORMANCE SUPERIOR (2-Ply)														
	Solar Energy			Visible Light				UVR	SC	SHR	TSER	GR	E	U-Value
	T	A	R	T	A	R								
						Int	Ext							
HP Superior 57	53	49	8	58	33	7	9	99	.75	25	31	41	.87	1.13
HP Superior 50	47	45	8	52	39	7	9	99	.70	30	38	50	.85	1.12
HP Superior 42	46	47	7	41	50	7	9	99	.68	32	42	54	.85	1.12
HP Superior 35	43	51	6	33	58	7	9	99	.67	33	46	60	.88	1.11
HP Superior 20	30	61	9	18	73	9	9	99	.56	44	53	79	.79	1.09
HP Superior 15	27	65	8	12	79	9	9	99	.53	46	57	84	.81	1.08
HP Superior 05	19	69	12	6	85	9	9	99	.45	54	65	94	.73	1.06
NON-REFLECTIVE SUPERIOR (2-Ply)														
	Solar Energy			Visible Light				UVR	SC	SHR	TSER	GR	E	U-Value
	T	A	R	T	A	R								
						Int	Ext							
NR Superior 50	59	36	5	51	43	4	6	99	.81	19	27	50	.89	1.12
NR Superior 42	56	39	5	41	53	4	6	99	.76	24	33	54	.89	1.12
NR Superior 35	52	42	6	33	61	4	6	99	.76	24	36	60	.89	1.11
NR Superior 20	47	48	5	18	76	4	6	99	.71	29	41	79	.89	1.11
NR Superior 05	40	55	5	6	88	4	6	99	.66	34	48	94	.89	1.10
NON-REFLECTIVE SUPERB (1-Ply)														
	Solar Energy			Visible Light				UVR	SC	SHR	TSER	GR	E	U-Value
	T	A	R	T	A	R								
						Int	Ext							
NR Superb 50	61	33	6	51	43	6	6	99	.82	18	28	50	.86	1.14
NR Superb 42	54	40	6	43	51	6	6	99	.76	24	32	54	.86	1.14
NR Superb 35	51	43	6	35	59	6	6	99	.73	27	35	60	.86	1.14
NR Superb 20	46	48	6	21	73	6	6	99	.71	29	39	79	.86	1.13
NR Superb 05	42	51	7	6	88	6	6	99	.67	33	46	93	.85	1.12

Automotive Performance Specifications

HIGH PERFORMANCE PREMIUM (2-Ply)														
	Solar Energy			Visible Light				UVR	SC	SHR	TSER	GR	E	U-Value
	T	A	R	T	A	R								
						Int	Ext							
HP Premium 57	54	39	7	59	34	7	7	99	.75	25	31	40	.87	1.13
HP Premium 50	48	44	8	52	41	7	7	99	.70	30	38	50	.85	1.12
HP Premium 42	45	48	7	45	48	7	7	99	.68	32	41	54	.85	1.12
HP Premium 35	43	51	6	33	60	7	7	99	.67	33	46	60	.88	1.12
HP Premium 20	32	59	9	21	70	9	9	99	.56	44	52	78	.79	1.11
HP Premium 15	29	63	8	16	75	9	9	99	.54	46	57	83	.81	1.10
HP Premium 05	20	68	12	6	85	9	9	99	.46	54	64	94	.73	1.07
NON-REFLECTIVE PREMIUM (2-Ply)														
	Solar Energy			Visible Light				UVR	SC	SHR	TSER	GR	E	U-Value
	T	A	R	T	A	R								
						Int	Ext							
NR Premium 50	60	35	5	51	43	4	6	99	.81	19	27	50	.89	1.12
NR Premium 42	56	39	5	43	51	4	6	99	.76	24	33	54	.89	1.12
NR Premium 35	54	40	6	35	59	4	6	99	.76	24	35	60	.89	1.12
NR Premium 20	48	47	5	21	73	4	6	99	.71	29	39	79	.89	1.12
NR Premium 05	41	54	5	6	88	4	6	99	.66	34	47	94	.89	1.11
NON-REFLECTIVE PROFESSIONAL (1-Ply)														
	Solar Energy			Visible Light				UVR	SC	SHR	TSER	GR	E	U-Value
	T	A	R	T	A	R								
						Int	Ext							
NR Professional 50	63	31	6	51	42	6	7	99	.82	18	27	50	.86	1.14
NR Professional 42	55	39	6	43	51	6	6	99	.76	24	32	54	.86	1.14
NR Professional 35	52	42	6	35	58	6	7	99	.73	27	35	60	.86	1.14
NR Professional 20	48	46	6	21	73	6	6	99	.71	29	38	79	.86	1.13
NR Professional 05	45	48	7	6	88	6	6	99	.67	33	46	93	.85	1.12

Automotive Performance Specifications

HIGH PERFORMANCE CHARCOAL (2-Ply)														
	Solar Energy			Visible Light				UVR	SC	SHR	TSER	GR	E	U-Value
	T	A	R	T	A	R								
						Int	Ext							
HP Charcoal 50	48	44	8	52	41	7	7	99	.70	30	38	50	.85	1.12
HP Charcoal 35	43	51	6	33	60	7	7	99	.67	33	46	60	.88	1.12
HP Charcoal 20	32	59	9	21	70	9	9	99	.56	44	52	78	.79	1.11
HP Charcoal 15	29	63	8	16	75	9	9	99	.54	46	57	83	.81	1.10
HP Charcoal 05	20	68	12	6	85	9	9	99	.46	54	64	94	.73	1.07
NON-REFLECTIVE CHARCOAL (2-Ply)														
	Solar Energy			Visible Light				UVR	SC	SHR	TSER	GR	E	U-Value
	T	A	R	T	A	R								
						Int	Ext							
NR Charcoal 50	60	35	5	51	43	4	6	99	.81	19	27	50	.89	1.12
NR Charcoal 35	54	40	6	33	61	4	6	99	.76	24	35	60	.89	1.12
NR Charcoal 20	48	47	5	21	73	4	6	99	.71	29	39	79	.89	1.12
NR Charcoal 15	45	50	5	16	80	4	6	99	.69	31	42	83	.89	1.12
NR Charcoal 05	41	54	5	6	88	4	6	99	.66	34	47	94	.89	1.11